

THE FINEST IN CONTEMPORARY LIGHTING

Wall Mounting canopy type with switch.



7.95 Adaptable for wall or ceiling use. No switch.



Most popular fixture for accent



7.95 B-44-2

Twin type ceiling fixture.



Single desk Model 18" Flexo arm, switch in weighted base, cord and plug.



Twin desk model, 3 way switch in weighted base, with cord and plug.



Portable flood for use with louvres and color filters. Switch in weighted base, with cord and plug.








All prices shown are for standard GRAY FINISH


## SWIVOLITE What makes it better



Swiv-O-lites
are die formed
at 2500°
Fahrenheit under
800,000 pounds
pressure from
special alloyed
metals which
produce a light
but
rigid product



Flush-fitting
Snap-in-Louvre No. L-1
list 1.00 each
color filters No. F-1
list 1.00 each
4 of 1 color to
a package



Swiv-O-lite's NEW

Dual spring tension swivel

smooth positive action

of rugged construction

twist-proof connection


## REFLECTOR LAMP CHART


Footcandles at Center of Spot

Fo			R-30,75W			
Distance from lamp 5 feet 10 feet 15 feet	R-40, spot 280 70 30	150W flood 48 12 5	500 125 55	112 28 12	spot 44 11 5	14 3.5 1.5
				_ 1		

Size of Spot

	51	ze o	1 24		100	
	R-40, 1	,	PAR-38,	150W flood	R-30, spot	flood
Distance from lamp	spot	lood	spot	4'	3'	10'
5 feet 10 feet 15 feet	2.5' 5.0' 7.5'	10' 20' 30'	4' 6'	12'	9'	30'
12 1661						







Union Made-

All fixtures approved by Underwriters' Laboratories, Inc.

Available through leading electrical distributors.

Individually packed—one fixture to a carton.

Special finishes upon application.

Finest oven baked

Prices subject to change without notice.

Manufacturer of PRESCOLITE Recessed Lighting Fixtures